AD-A179 838 TOWARDS A GENERAL-PURPOSE BELIEF MAINTENANCE SYSTEM(U) 1/1
ILLINOIS UNIV AT URBANA DEPT OF COMPUTER SCIENCE
B FALKENHAINER 01 APR 87 UIUCDCS-R-87-1329
UNCLASSIFIED N00014-85-K-0559 NL




1.0
1.1
1.25
1.4
1.6
1.8
2.0
2.2
2.8
3.2
3.6
4.0

DTIC FILE COPY

REPORT NO. UIUCDCS-R-87-1329 UILU-ENG-87-1717

(12)

TOWARDS A GENERAL-PURPOSE BELIEF MAINTENANCE SYSTEM

by

Brian Falkenhainer

DTIC
ELECTE
APR 29 1987
S D

April 1987

830

TOWARDS A GENERAL-PURPOSE BELIEF MAINTENANCE SYSTEM

Brian Falkenhainer

April 1987

Department of Computer Science
University of Illinois at Urbana-Champaign
1304 W. Springfield Avenue
Urbana, Illinois 61801

This research is supported by the Office of Naval Research, Personnel and Training Research Programs, Contract No. N00014-85-K-0559.

Approved for public release; distribution unlimited.

TOWARDS A GENERAL–PURPOSE BELIEF MAINTENANCE SYSTEM

Brian Falkenhainer
Qualitative Reasoning Group
Department of Computer Science
University of Illinois
1304 W. Springfield Avenue, Urbana, Illinois, 61801

ABSTRACT

This paper addresses the problem of probabilistic reasoning as it applies to Truth Maintenance Systems. A *Belief Maintenance System* has been constructed which manages a current set of probabilistic beliefs in much the same way that a TMS manages a set of true/false beliefs. Such a system may be thought of as a generalization of a Truth Maintenance System. It enables one to reason using normal two or three–valued logic or using probabilistic values to represent partial belief. The design of the Belief Maintenance System is described and some problems are discussed which require further research. Finally, some examples are presented which show the utility of such a system.

This is a revised version of a paper which appears in the *Proceedings of the Second Workshop on Uncertainty and Probability in Artificial Intelligence*, Philadelphia, August, 1986.

This research is supported by the Office of Naval Research, Contract No. N00014–85–K–0559.

QUALITY INSPECTED

Accession For
NTIS CRA&I
DTIC TAB
Unannounced
Justification
By
Distribution /
Availability Codes
Dist Avail and/or Special
A-1

1. INTRODUCTION

There currently exists a gap between the theories proposed by the probability and uncertainty community and the needs of Artificial Intelligence research. These theories primarily address the needs of expert systems, proposing computational models using knowledge structures which must be pre-compiled and remain static in structure during runtime. Many AI systems require the ability to dynamically add and remove parts of the current knowledge structure (e.g. in order to examine what the world would be like for different causal theories). This requires more flexibility than existing uncertainty systems display. In addition, many AI researchers are only interested in using "probabilities" as a means of obtaining an ordering, rather than attempting to derive an accurate probabilistic account of a particular situation. This indicates the need for systems which stress ease of use and don't require extensive amounts of conditional probability information when one cannot (or doesn't wish to) provide such information. This paper attempts to help reconcile the gap between approaches to uncertainty and the needs of many AI systems by examining the control issues which arise, independent of a particular uncertainty calculus, when one tries to satisfy these needs.

Truth Maintenance Systems have been used extensively in problem solving tasks to help organize a set of facts and detect inconsistencies in the believed state of the world. These systems maintain a set of true/false propositions and their associated dependencies. In trying to reason about real world problems, however, situations often arise in which we are unsure of certain facts or in which the conclusions we can draw from available information are somewhat uncertain. The non-monotonic TMS (Doyle, 1979; McDermott and Doyle, 1980) was an attempt at reasoning when all the facts are not known. Non-monotonic systems, however, fail to take into account degrees of belief and how available evidence can combine to strengthen a particular belief.

This paper addresses the problem of probabilistic reasoning as it applies to Truth Maintenance Systems. It describes a *Belief Maintenance System* that manages a current set of beliefs in much the same way that a TMS manages a current set of true/false propositions. If the system knows that our belief in $fact_1$ is dependent in some way upon our belief in $fact_2$, then it automatically modifies our belief in $fact_1$ if we give it some new information which causes a change in belief of $fact_2$. It models the behavior of a normal TMS, replacing its 3-valued logic (true, false, unknown) with an infinite-valued logic, in such a way as to reduce to a standard TMS if all statements are given in absolute true/false terms. We can therefore think of Belief Maintenance Systems as simply a generalization of Truth Maintenance Systems, whose possible reasoning tasks are a superset of those for a TMS.

2. DESIGN

The design of the belief maintenance system is based on current TMS technology, specifically a monotonic version of Doyle's justification-based TMS (1979). As in the TMS, a network is constructed which consists of nodes representing facts and justification links between nodes representing antecedent support of a set of nodes for some consequent node. The BMS differs in that nodes take on a *measure of belief* rather than true or false and justification links become *support links* in that they provide partial evidence in favor of a node.

The basic design consists of three parts: (1) the conceptual control structure, (2) the user hooks to the knowledge base, and (3) the uncertainty calculus. A simple parser is used to translate user assertions (e.g. `(implies (and a b) c)`) into control primitives. This enables

the basic design to be semi-independent of the belief system used.[1] All that is required of the belief formalism is that it is invertable. Specifically, if A provides support for B and our belief in A changes, we must be able to remove the effects the previous belief in A had on our belief in B.

2.1. An Overview of Dempster-Shafer Theory

The particular belief system used here is based on the Dempster-Shafer theory of evidence (Shafer, 1976; Barnett, 1981; Garvey et al. 1981). This theory combines Dempster's rule for the combination of belief functions with Shafer's representation of beliefs. Shafer's representation expresses the belief in some proposition A by the interval [s(A), p(A)]. s(A) represents the current amount of support for A or the minimum probability of A. p(A) is the plausibility of A and establishes a maximum probability for A. It is often best to think of p(A) in terms of the lack of evidence against A, for $p(A) = 1 - s(\neg A)$. In this representation, the uncertainty of A's probability is given by p(A) - s(A). To simplify calculations, the belief maintenance system represents Shafer intervals by the pair (s(A) $s(\neg A)$) rather than the interval [s(A) p(A)] (Ginsberg, 1984).

Dempster's rule provides a means for combining probabilities based upon different sources of information. His language of belief functions defines a *frame of discernment*, Θ, as the exhaustive set of possibilities or values in some domain. For example, if the domain represents the values achieved from rolling a die, Θ is the set of 6 propositions of the form "the die rolled a j." If m_1 and m_2 are two basic probability functions over the same space Θ, each representing a different knowledge source, then Dempster's rule defines the new combined probability function *m* for all subsets C of Θ to be

$$m(C) = \frac{\sum_{A_i \cap B_j = C} m_1(A_i) m_2(B_j)}{1 - \sum_{A_i \cap B_j = \emptyset} m_1(A_i) m_2(B_j)}$$

This is also known as Dempster's *orthogonal sum* and is stated as $m = m_1 \oplus m_2$. Note that the denominator is a normalizing factor, removing probability given to the empty set and ensuring that the total probability for the new function is still one.

Since our primary interest here is the use of probability theory in a deductive reasoning system, we are interested in the case where Θ contains only two values, A and $\neg A$. For this case, the basic probability function has only three values, m(A), $m(\neg A)$, and $m(\Theta)$. This allows the derivation of a simplified version of Dempster's formula (Prade, 1983; Ginsberg, 1984):

$$(a\ b) \oplus (c\ d) = \left[1 - \frac{\bar{a}\bar{c}}{1 - (ad - bc)} \quad 1 - \frac{\bar{b}\bar{d}}{1 - (ad - bc)}\right]$$

where $\bar{a}$ means (1 - a). It also allows us to formulate an inverse function for subtracting evidence (Ginsberg, 1984):

$$(a\ b) - (c\ d) = \left[\frac{\bar{c}(a\bar{d} - \bar{b}c)}{\bar{c}\bar{d} - bc\bar{c} - \bar{a}a\bar{d}} \quad \frac{\bar{d}(b\bar{c} - \bar{a}a)}{\bar{c}\bar{d} - bc\bar{c} - \bar{a}d\bar{d}}\right]$$

The decision to choose Dempster-Shafer Theory over Bayesian Decision Theory, certainty factors, or some other system of beliefs was purely pragmatic. Dempster-Shafer has been shown

[1] Here we use "belief", "probability", and "uncertainty" interchangably, without intending a particular system (e.g. Bayes (Charniak, et al. 1980, Pearl, 1983, 1986), Dempster-Shafer (Shafer, 1976), Certainty Factors (Buchanan and Shortliffe, 1984)).

to be invertable, it distinguishes between absolutely unknown (no evidence or (0 0)) and uncertain, and it is simple to use. However, the design of the BMS is not based on a particular uncertainty calculus and there should be little difficulty (as far as the BMS itself is concerned) in adapting it to use some other belief system.

2.2. A Logic of Beliefs

The conventional meaning of two-valued logic must be redefined in terms of evidence so that the system can interpret and maintain its set of beliefs based on the user-supplied axioms.

Not

Because Dempster-Shafer theory allows us to express belief for and belief against in a single probability interval, (not A) and A can simply be stored as the same proposition, A, where

$$(\texttt{not A})_{(s_A, s_{-A})} = A_{(s_{-A}, s_A)}$$

And

There are a number of approaches to the meaning of AND. The interpretation used here takes into account the fact that we are dealing with measures of belief rather than probabilities and corresponds to that of (Garvey et al. 1981):

$$\begin{array}{l} A_{(s_A\ s_{-A})} \\ B_{(s_B\ s_{-B})} \\ C_{(s_C\ s_{-C})} \\ \hline (A \,\&\, B \,\&\, C)_{(\max(0, s_A+s_B+s_C-2),\ \max(s_{-A}, s_{-B}, s_{-C}))} \end{array}$$

The -2 term represents (1 - cardinality(conjuncts)).

OR

Both (Garvey et al. 1981) and (Rodewald, 1984) define the belief in OR to be the maximum of the individual beliefs:

$$\begin{array}{l} A_{(s_A\ s_{-A})} \\ B_{(s_B\ s_{-B})} \\ \hline (A \vee B)_{(\max(s_A, s_B),\ \max(0, s_{-A}+s_{-B}-1))} \end{array}$$

IMPLIES

There are two theories in the literature for the interpretation of implies using Dempster-Shafer. (Dubois and Prade, 1985) suggests that, for A→B, we take into account the value of Bel(B→A). This causes the belief in B to be derived as

$$\frac{(A \rightarrow B)_{(s_{r1}\ s_{\neg r1})} \quad (B \rightarrow A)_{(s_{r2}\ s_{\neg r2})} \quad A_{(s_A\ s_{\neg A})}}{B_{(\max(0,\ s_{r1} + s_A - 1)\quad \max(0,\ s_{r2} + s_A - 1))}}$$

Because the BMS should be simple to use and because Bel(B→A) can be difficult to obtain, the use of implies will be the same as given in (Ginsberg, 1984; Dubois & Prade, 1985):

$$\frac{(A \rightarrow B)_{(s_1\ s_{\neg 1})} \quad A_{(s_A\ s_{\neg A})}}{B_{(s_A s_1\quad s_A s_{\neg 1})}}$$

This adheres to the idea that if full belief in A implies $B_{1,8}$, then a half belief in A should imply $B_{0.4}$.

With these operators defined, the system can parse all user assertions and construct the necessary support links with the appropriate belief functions attached to them.

2.3. Support Links

A support link consists of a list of antecedent nodes, a consequent node, its current positive and negative support for its consequent, and a function for recalculating its support based on the current belief of the antecedents (when the support is provided by the user, forming a *premise link*, no such function exists). Figure 1 shows a sample support link network. The system recognizes two types of support links - *hard links* and *invertable links*.

2.3.1. Hard Support Links

A hard support link is one which provides an absolute statement of its consequent's belief. For example, statements of the form



Figure 1. A Sample BMS Network

```
(implies x (and y z))
```

are translated into

```
(implies x y)
(implies x z)
```

As a result, nodes are never allowed to give support directly to an "and" node and the only support entering an "and" node must come from the individual conjuncts. A support link for an "and" node is therefore given the status hard link and the value of the consequent node equals the link's support. In Figure 1, if the belief in A changes, a new value is calculated for the conjunctive link using its attached formula for AND, and the node for (AND A B) is set to the new value.

2.3.2. Invertable Support Links

Links representing implication or user support act as only one source of evidence for their consequent node. Such links are designated invertable since a change in their support means that their old support must be subtracted (using the inverted form of Dempster's rule) before the new value is added. In Figure 1, if the belief in D changes, then the current support provided by D's link into C is subtracted, the link support is recalculated, and the new support is added to C (using Dempster's rule).

2.4. Control

The basic control structure of the BMS is similar to that of a TMS. When the belief in a node is modified, the affects of this new belief are propagated throughout the system. This is done by following the node's outgoing links and performing the appropriate operations for modifying hard and invertable links' support. Propagation of evidence may be defined so as to terminate early (Ginsberg, 1985a). If the system sees that the change it has just made to a node's belief state is sufficiently small, there is no need for it to propagate this change to every node dependent upon it. A threshold value, *propagation-delta*, is defined so that, when the change to a node's positive and negative beliefs are less than the threshold, the system will not continue to propagate changes past this node. The default threshold is 10^{-3}.

In a TMS architecture, only one justification is needed to establish truth. Any independent justifications are extraneous. Using a probabilistic architecture, each source of support adds to the node's overall belief. We must keep track of all incoming supports, combining them using Dempster's rule to form the overall belief for the node. If one tries to combine two contradicting, absolute beliefs, (1 0) $\oplus$ (0 1), the system would simply detect the attempt and signal a contradiction in the same way that a TMS would. Thresholds could also be used so that if a strongly positive belief is to be combined with a strongly negative belief, the system could signal a contradiction. Caution should be used for this case, however, because we don't want to interpret non-monotonic inferences as contradictions.

2.4.1. New Control Issues

Circular support structures like that of Figure 2 cause a number of problems for belief maintenance. Because of these problems, the current implementation requires that no such structures exist and it will signal an error if one is discovered. There are a variety of problems which the structure in Figure 2 can cause:

(1) *Interpretation of circular evidence.* When A is partially believed and the status of E is unknown, what can be said about the support which D provides to B? All of the evidence D is supplying to B originally came from B in the first place. Because all links entering B will



Figure 2. Circular Support Structure

combine according to Dempster's rule to form a single belief. B may be believed more strongly than A simply because B supplies evidence in favor of D through C. This does not seem intuitively correct.

(2) *Problems with possible cures.* There are several potential solutions to this problem. First, we could simply allow D to provide support for B. This situation would appear to be undefined under normal probability theory. Second, we could stop the chain at D by not allowing any node to provide support to one of its supporters (by transitivity). This introduces a new problem. What should happen when E is providing independent support for D? Forcing the system to only propagate those supports for D which are independent of B would require a much more sophisticated control structure.

(3) *Retraction or modification of support.* Modifying support links becomes much more difficult if we allow circular support structures to exist in the system. Any time the support A provides B changes, the old support it provided must be retracted. This means removing all support from A, propagating the change in B, adding in the new support from A, and propagating the new belief in B. This will cause the belief in C to be propagated four times (twice when B changes the first time and twice when B changes the second time), the belief in D to be propagated 8 times, etc. In addition, retracting the support A provides B means that we must retract all support for B (to remove the effects D has on B), propagate the new lack of belief in B, and then recalculate a new belief for B based on the new value for A and the current values of its other support links. Doing this every time the belief for any node changes makes such a system unusable. When we assume there is no circular support in the network, modifying our belief in A simply involves subtracting its old support for B, adding in its new support for B, and then propagating our new belief in B.

The use of beliefs also causes problems for systems that explicitly calculate transitivity relations. Suppose we were to assert $A \rightarrow C$ based on the knowledge $A \rightarrow B$ and $B \rightarrow C$. This action would cause the system's belief in C to increase, even though we were simply making information which already existed explicit.

2.5. User Support

The system has been designed so that it will appear to operate in exactly the same manner as the standard justification-based TMS. Thus, it is able to handle assertions using the connectives AND, OR, NOT, and IMPLIES. If a contradiction occurs, the system will notify the

user and seek to resolve the contradiction. In addition to the normal TMS operations, the BMS supports additional operations corresponding to its belief-oriented knowledge.

2.5.1. Queries

In the TMS, queries are of the form (true? *statement*). Now that truth is measured in terms of belief, we can extend the query language. Truth is redefined in terms of a threshold, so that a belief over a certain threshold is considered to be true.

true?	= belief+(node) > *belief-threshold*
false?	= belief-(node) > *belief-threshold*
unknown?	= belief+(node) < *belief-threshold* and belief-(node) < *belief-threshold*
absolutely-true?	= belief+(node) = 1.0
absolutely-false?	= belief-(node) = 1.0
absolutely-unknown?	= belief+(node) = 0.0 and belief-(node) = 0.0
support-for	= belief+(node)
support-against	= belief-(node)
possible-true	= 1 - belief-(node)
possible-false	= 1 - belief-(node)
belief-uncertainty	= 1 - belief-(node) - belief-(node)

2.5.2. Frames of Discernment

In addition to the default usage of the simplified version of Dempster's rule, where each node is treated as a frame of discernment, Θ, containing $\{A, \neg A\}$, the user may define a specific frame of discernment by the function call:

$$(\texttt{frame-of-discernment}\ \texttt{node}_1\ \texttt{node}_2\ \ldots\ \texttt{node}_n)$$

This establishes a frame-of-discernment stating that the given nodes represent an exhaustive set of possibilities or values in some domain. Evidence in favor of one node acts to discredit belief in the other members of the set. Evidence may be provided to support any of the nodes from outside the set, but no support link is allowed to change from its initial non-zero value. This is due to the (current) uninvertability of the general form of Dempster's rule. When new evidence is provided for one of the nodes in the set, the belief in all the nodes is recalculated according to Dempster's orthogonal sum so that the sum of the beliefs for the nodes in the set is less-than or equal-to one. The affect of these changes are then propagated to any support these nodes provide to the rest of the system.

In Figure 3, the nodes {a, b, c} have been defined as a frame of discernment. x provides 0.6 support for a, y provides 0.3 support for b, and z provides 0.8 support for c. These independent sources of evidence combine using Dempster's orthogonal sum to form a normalized set of beliefs in a, b, and c (0.22, 0.06, 0.58 respectively).

2.6. Rule Engine

Because the BMS does not allow variables to exist in the knowledge base, pattern-directed rules are required to provide demons which trigger on certain events in the knowledge base (McAllester, 1980; Charniak et al, 1980). The rules are of the form:

```
>(frame-of-discernment a b c)
>(assert (implies x a))
>(assert (implies y b))
>(assert (implies z c))
>(assert x 0.6)
>(assert y 0.3)
>(assert z 0.8)

>(why-nodes)

X has evidence (0.6, 0.0) due to
  USER (0.6, 0.0)
Y has evidence (0.3, 0.0) due to
  USER (0.3, 0.0)
Z has evidence (0.8, 0.0) due to
  USER (0.8, 0.0)
USER-THETA1 has evidence (0.1443, 0.0)   {uncertainty for the entire frame - m(Θ)}
A has evidence (0.2165, 0.0) due to
  IMPLICATION(X) (0.6, 0.0)
B has evidence (0.0619, 0.0) due to
  IMPLICATION(Y) (0.3, 0.0)
C has evidence (0.5773, 0.0) due to
  IMPLICATION(Z) (0.8, 0.0)
```

Figure 3. An Example of a Frame-of-Discernment

```
(rule (nested-triggers) body)
```

For example, the rule

```
(rule ((:INTERN (dog ?x)))
  (assert (implies (dog ?x) (mammal ?x))))
```

causes the implication `(implies (dog fido) (mammal fido))` to be asserted when `(dog fido)` first appears in the knowledge base (whether it is believed or not).

The rule

```
(rule (( INTERN (foo ?x)  test (numberp ?x)  var ?the-form-foo)
       (:BELIEF+ (bar ?y) 0.8  var ?the-form-bar)
       (:BELIEF- (mumble ?z) 0.9  var ?the-form-mumble))
   (format t "~%~A is been interned" ?the-form-foo)
   (format t "~%The support in favor of ~A is now greater than 0.8" ?the-form-bar)
   (format t "~%The support against ~A is now greater than 0.9" ?the-form-mumble))
```

shows all of the potential operations in a rule. Each trigger contains a keyword (e.g. :INTERN), a pattern (e.g. (foo ?x)), an optional test which must be true for the rule to fire, and an optional var argument which causes a specified variable to be bound to the trigger's instantiated pattern. There are three types of rule triggers. The :INTERN trigger causes the rule to fire each time a new fact is added to the knowledge base which matches the given pattern. The :BELIEF+ trigger

causes the rule to fire each time the support in favor of an instance of its pattern first exceeds the specified value. A BELIEF- rule fires when the support against its pattern exceeds the specified value.

3. EXAMPLES

There are a number of possible uses for a belief maintenance system. It enables us to perform normal TMS, three-valued, deductive logic operations. It also enables us to reason with probabilistic or uncertain information. The following sections discuss some of the applications for the BMS.

3.1. Two-Valued Deductive Reasoning

The system's design has enabled us to think of it as a superset of a TMS. As a result, we can make assertions such as

```
(assert (implies a b))
(assert (implies b c))
(assert a)
```

and the system will automatically propagate the fact that b and c are true. If we then stated that c was false, the system would signal a contradiction and indicate that the contradiction results from the two user premises a and (not c).

3.2. Probabilistic Reasoning

In addition to true false deductions, the belief maintenance system is able to state the current partial belief in a particular item and the sources of this belief. For example, in Figure 1, C has a belief of 0.9 since all of the belief in A serves as evidence for C. D, on the other hand, has a belief of only 0.27 since C implies D by only 0.3. E has two sources of evidence. C provides 0.9 evidence in favor of E, while G provides 0.36 evidence against E.

3.3. Non-Monotonic Reasoning

A belief maintenance system is able to handle non-monotonic reasoning much more elegantly than a two or three valued logic is able to (Ginsberg, 1984, 1985b). Consider the classic non-monotonic problem about birds "in general" being able to fly. If one were to replace a rule using Doyle's (1979) consistency operator

$$\text{bird}(X) \wedge M\,\text{fly}(X) \rightarrow \text{fly}(X)$$

with a probabilistic one stating that roughly 90 to 95% of all birds fly

$$(\text{bird } ?x) \rightarrow (\text{fly } ?x)_{(0.90\ 0.05)}$$

the desired non-monotonic behavior comes automatically from negative rules such as

$$(\text{ostrich } ?x) \rightarrow (\text{fly } ?x)_{(0\ 1)}$$

If we know Tweety to be a bird and an ostrich, the two rules will combine to deduce $(\text{fly tweety})_{(0\ 1)}$ or $(\text{not } (\text{fly tweety}))_{(1\ 0)}$. No modifications of the control structure are needed to perform non-monotonic reasoning.

```
>(assert (implies (or a b) c))
>(assert (implies c d (0.3   0.0)))
>(assert (implies c e))
>(assert (implies (and a f) (and g h)))
>(assert (implies g (not e) (0.4 . 0.0)))
>(assert a 0.9)
>(assert f)

>(why-nodes)

F is a premise.
(AND A F) has evidence (0.9, 0.0) due to
  CONJUNCTION(F A)  (0.9, 0.0)
H has evidence (0.9, 0.0) due to
  IMPLICATION((AND A F))  (0.9, 0.0)
G has evidence (0.9, 0.0) due to
  IMPLICATION((AND A F))  (0.9, 0.0)
E has evidence (0.8521, 0.0533) due to
  IMPLICATION(G)  (0.0, 0.36)
  IMPLICATION(C)  (0.9, 0.0)
D has evidence (0.27, 0.0) due to
  IMPLICATION(C)  (0.27, 0.0)
B is unknown
A has evidence (0.9, 0.0) due to
  USER  (0.9, 0.0)
(OR A B) has evidence (0.9, 0.0) due to
  DISJUNCTION(B A)  (0.9, 0.0)
C has evidence (0.9, 0.0) due to
  IMPLICATION((OR A B))  (0.9, 0.0)
```

Figure 4. Probabilistic Deductive Reasoning

3.4. Rule-based Pattern Matching

The belief maintenance system has been used to implement a rule-based, probabilistic pattern matching algorithm which is able to form the type of matching typical in analogies in a manner consistent with Gentner's Structure-Mapping Theory of analogy (Gentner, 1983; Falkenhainer, Forbus, & Gentner, 1986). For example, suppose we tried to match

```
(a)  (AND (CAUSE (GREATER (PRESSURE beaker) (PRESSURE vial))
                 (FLOW beaker vial water pipe))
          (GREATER (DIAMETER beaker) (DIAMETER vial)))
```

with

```
(b)  (AND (GREATER (TEMPERATURE coffee) (TEMPERATURE ice-cube))
          (FLOW coffee ice-cube heat bar))
```

A standard unifier would not be able to form the correspondences necessary for those two forms to match. First, the forms are different in their overall structure. Second, the arguments of similar substructures differ, as in (FLOW beaker vial water pipe) and (FLOW coffee

ice-cube heat bar). The rule-based pattern matcher, however, is able to find all consistent matches between form (a) and form (b). These matches correspond to the possible interpretations of the potential analogy between (a) and (b). They are

```
(1) (GREATER (PRESSURE beaker) (PRESSURE vial)) ↔
                        (GREATER (TEMPERATURE coffee) (TEMPERATURE ice-cube))
    (FLOW beaker vial water pipe) ↔ (FLOW coffee ice-cube heat bar)

(2) (GREATER (DIAMETER beaker) (DIAMETER vial)) ↔
                        (GREATER (TEMPERATURE coffee) (TEMPERATURE ice-cube))
```

The pattern matcher works by first asserting a *match hypothesis* for each potential predicate or object pairing between (a) and (b) with a belief of zero. For example, we could cause all predicates having the same name to pair up and all functional predicates (e.g. PRESSURE) to pair up if their parent predicates pair up (e.g. GREATER). The likelyhood of each match hypothesis is then found by running *match hypothesis evidence rules*. For example, the rule

```
(assert same-functor)    ; provide a name for the source of the rule's support ;

(rule ((intern (MH ?i1 ?i2)) :test (and (fact? ?i1) (fact? ?i2)
                                        (equal-functors ?i1 ?i2))))
    (assert (implies same-functor (MH ?i1 ?i2) (0.5  0.0))))
```

states "If the two items are facts and their functors are the same, then supply 0.5 evidence in favor of the match hypothesis." After running these rules, the BMS would have the beliefs shown in Figure 5.

Match Hypothesis	Evidence
(MH $GREATER_{Pressure}$ $GREATER_{Temperature}$)	0.650
(MH $GREATER_{Diameter}$ $GREATER_{Temperature}$)	0.650
(MH $PRESSURE_{beaker}$ $TEMPERATURE_{coffee}$)	0.712
(MH $PRESSURE_{vial}$ $TEMPERATURE_{ice-cube}$)	0.712
(MH $DIAMETER_{beaker}$ $TEMPERATURE_{coffee}$)	0.712
(MH $DIAMETER_{vial}$ $TEMPERATURE_{ice-cube}$)	0.712
(MH $FLOW_{water}$ $FLOW_{heat}$)	0.790
(MH beaker coffee)	0.932
(MH vial ice-cube)	0.932
(MH water heat)	0.632
(MH pipe bar)	0.632

Figure 5. BMS State After Running Match Hypothesis Evidence Rules

The pattern matcher then constructs all consistent sets of matches to form *global matches* such that no item in a global match is paired up with more than one other item. (1) and (2) are examples of such global matches. Once the global matches are formed, the pattern matcher must select the "best" match. To do this, a frame of discernment consisting of the set of global matches is created and global match evidence rules are used to provide support for a global match based on various syntactic aspects such as overall size or "match quality". For example, we could have match hypotheses provide support in favor of the global matches they are members of. Thus, the pattern matcher would choose global match (1) because the match hypotheses provide the most support for this interpretation. This is a sparse description of the matching algorithm discussed in (Falkenhainer et al, 1986).

4. CONCLUSIONS

The design of a *belief maintenance system* has been presented and some of its possible uses described. This system differs from other probabilistic reasoning systems in that it allows dynamic modification of the structure of the knowledge base and maintains a current belief for every known fact. Previous systems have used static (compiled) networks (Pearl, 1983, 1986; Buchanan et al, 1984) which cannot be dynamically modified or simple forward chaining techniques which don't provide a complete set of reason-maintenance facilities (Buchanan et al, 1984; Ginsberg, 1984, 1985).

There are still a number of unsolved problems. First, the interpretation and efficient implementation of circular support structures needs to be examined further. Second, operations such as generating explicit transitivity relations cause new problems for belief based reasoning systems. What is important to note is that the basic design is independent of the belief system used. For any given uncertainty calculus which is invertable, the assertion parser can be modified to construct the appropriate network.

5. ACKNOWLEDGEMENTS

Thanks go to Peter Haddawy, Boi Faltings, Larry Rendell, Ken Forbus, and Barry Smith for their helpful discussions and proofreading skills. The BMS was modeled after a simple justification-based TMS written by Ken Forbus. This research is supported by the Office of Naval Research, Contract No. N00014-85-K-0559.

6. REFERENCES

Barnett,J.A., "Computational Methods for a Mathematical Theory of Evidence," *Proceedings of the 7th International Joint Conference on Artificial Intelligence*, 1981.

Buchanan,B.G., E.H.Shortliffe, *Rule-Based Expert Systems: the MYCIN Experiments of the Stanford Heuristic Programming Project*, Addison-Wesley, Reading, MA., 1984.

Charniak,E., C.K.Riesbeck, D.V.McDermott, *Artificial Intelligence Programming*, Lawrence Erlbaum and Associates, 1980.

Doyle,J., "A Truth Maintenance System," *Artificial Intelligence* **12**, 1979.

Dubois,D., Prade,H., "Combination and Propagation of Uncertainty with Belief Functions," *Proceedings of the 9th International Joint Conference on Artificial Intelligence*, 1985.

Falkenhainer,B., "On Reasoning with the Plausible and the Probable," Unpublished manuscript.

December, 1985.

Falkenhainer,B., K.Forbus, D.Gentner, "The Structure-Mapping Engine," *Proceedings of the Fifth National Conference on Artificial Intelligence*, August, 1986.

Garvey,T.D., J.D.Lowrance, M.A.Fischler, "An Inference Technique for Integrating Knowledge from Disparate Sources," *Proceedings of the 7th International Joint Conference on Artificial Intelligence*, 1981.

Gentner,D., "Structure-Mapping: A Theoretical Framework for Analogy," *Cognitive Science*, 7(2), 1983.

Ginsberg,M.L., "Non-Monotonic Reasoning Using Dempster's Rule," *Proceedings of the Fifth National Conference on Artificial Intelligence*, August, 1984.

Ginsberg,M.L., "Implementing Probabilistic Reasoning," *Workshop on Uncertainty and Probability in Artificial Intelligence*, August, 1985a.

Ginsberg,M.L., "Does Probability Have a Place in Non-monotonic Reasoning," *Proceedings of the 9th International Joint Conference on Artificial Intelligence*, 1985b.

Lu,S.Y., H.E.Stephanou, "A Set-Theoretic Framework for the Processing of Uncertain Knowledge," *Proceedings AAAI*, August, 1984.

McAllester,D.A., "Reasoning Utility Package User's Manual," MIT AI Memo 667, April, 1980.

McDermott,D., J.Doyle, "Non-Monotonic Logic I," *Artificial Intelligence* **13** (1-2), 1980.

Pearl,J., "A Computational Model For Causal and Diagnostic Reasoning in Inference Systems," *Proceedings of the 8th International Joint Conference on Artificial Intelligence*, 1983.

Pearl,J., "Fusion, Propagation, and Structuring in Belief Networks," *Artificial Intelligence* **29**(3), September, 1986.

Prade,H., "A Synthetic View of Approximate Reasoning Techniques," *Proceedings of the 8th International Joint Conference on Artificial Intelligence*, 1983.

Rodewald,L.E., "Baby: An Expert System for Patient Monitoring in a Newborn Intensive Care Unit," Master's thesis, UIUCDCS-F-84-920, Department of Computer Science, University of Illinois, 1984.

Shafer,G., *A Mathematical Theory of Evidence*, Princeton University Press, Princeton, New Jersey, 1976.

Shafer,G., "Probability Judgment in Artificial Intelligence," *Workshop on Uncertainty and Probability in Artificial Intelligence*, August, 1985.

Distribution List [Illinois/Gentner] NR 667-551

Dr. Phillip L. Ackerman
University of Minnesota
Department of Psychology
Minneapolis, MN 55455

Dr. Beth Adelson
Dept. of Computer Science
Tufts University
Medford, MA 02155

AFOSR,
Life Sciences Directorate
Bolling Air Force Base
Washington, DC 20332

Dr. Robert Ahlers
Code N711
Human Factors Laboratory
Naval Training Systems Center
Orlando, FL 32813

Dr. Ed Aiken
Navy Personnel R&D Center
San Diego, CA 92152-6800

Dr. James Anderson
Brown University
Center for Neural Science
Providence, RI 02912

Dr. John R. Anderson
Department of Psychology
Carnegie-Mellon University
Pittsburgh, PA 15213

Dr. Steve Andriole
George Mason University
School of Information
Technology & Engineering
4400 University Drive
Fairfax, VA 22030

Technical Director, ARI
5001 Eisenhower Avenue
Alexandria, VA 22333

Dr. Gary Aston-Jones
Department of Biology
New York University
1009 Main Bldg
Washington Square
New York, NY 10003

Dr. Patricia Baggett
University of Colorado
Department of Psychology
Box 345
Boulder, CO 80309

Dr. Eva L. Baker
UCLA Center for the Study
of Evaluation
145 Moore Hall
University of California
Los Angeles, CA 90024

Dr. Meryl S. Baker
Navy Personnel R&D Center
San Diego, CA 92152-6800

prof. dott. Bruno G. Bara
Unita di ricerca di
intelligenza artificiale
Universita di Milano
20122 Milano - via F. Sforza 23
ITALY

Dr. William M. Bart
University of Minnesota
Dept. of Educ. Psychology
330 Burton Hall
178 Pillsbury Dr., S.E.
Minneapolis, MN 55455

Leo Beltracchi
U.S. Nuclear Regulatory Comm.
Washington, D.C. 20555

Dr. Mark H. Bickhard
University of Texas
EDB 504 ED Psych
Austin, Texas 78712

Dr. Gautam Biswas
Department of Computer Science
University of South Carolina
Columbia, SC 29208

Dr John Black
Teachers College, Columbia Univ.
525 West 121st Street
New York, NY 10027

Dr. R. Darrell Bock
University of Chicago
NORC
6030 South Ellis
Chicago, IL 60637

Dr. Sue Bogner
Army Research Institute
ATTN: PERI-SF
5001 Eisenhower Avenue
Alexandrai, VA 22333-5600

Dr. Jeff Bonar
Learning R&D Center
University of Pittsburgh
Pittsburgh, PA 15260

Dr. Gordon H. Bower
Department of Psychology
Stanford University
Stanford, CA 94306

Dr. Robert Breaux
Code N-095R
Naval Training Systems Center
Orlando, FL 32813

Dr. Ann Brown
Center for the Study of Reading
University of Illinois
51 Gerty Drive
Champaign, IL 61280

Dr John S. Brown
XEROX Palo Alto Research
Center
3333 Coyote Road
Palo Alto, CA 94304

Dr. Bruce Buchanan
Computer Science Department
Stanford University
Stanford, CA 94305

Maj. Hugh Burns
AFHRL/IDE
Lowry AFB, CO 80230-5000

Dr Patricia A. Butler
OERI
555 New Jersey Ave. NW
Washington, DC 20208

Distribution List [Illinois/Gentner] NR 667-551

Dr. Joseph C. Campione
Center for the Study of Reading
University of Illinois
51 Gerty Drive
Champaign, IL 61820

Joanne Capper
Center for Research into Practice
1718 Connecticut Ave., N.W.
Washington, DC 20009

Dr. Jaime Carbonell
Carnegie-Mellon University
Department of Psychology
Pittsburgh, PA 15213

Dr. Susan Carey
Harvard Graduate School of
Education
337 Gutman Library
Appian Way
Cambridge, MA 02138

Dr. Pat Carpenter
Carnegie-Mellon University
Department of Psychology
Pittsburgh, PA 15213

LCDR Robert Carter
Office of the Chief
of Naval Operations
OP-01B
Pentagon
Washington, DC 20350-2000

Chair, Department of
Psychology
College of Arts and Sciences
Catholic University of
America
Washington, DC 20064

Dr. Fred Chang
Navy Personnel R&D Center
Code 51
San Diego, CA 92152-6800

Dr. Davida Charney
English Department
Penn State University
University Park, PA 16802

Dr. Paul R. Chatelier
OUSDRE
Pentagon
Washington, DC 20350-2000

Dr. Michelene Chi
Learning R & D Center
University of Pittsburgh
3939 O'Hara Street
Pittsburgh, PA 15213

Dr. Susan E. Chipman
1142CS
Personnel and Training Research Program
Office of Naval Research, Code 1142PT
Arlington, VA 22217-5000
(6 copies)

Dr. L. J. Chmura
Computer Science and
Systems Branch
Naval Research Lab
Washington, DC 20375-5000

Mr. Raymond E. Christal
AFHRL/MOE
Brooks AFB, TX 78235

Professor Chu Tien-Chen
Mathematics Department
National Taiwan University
Taipei, TAIWAN

Dr. Yee-Yeen Chu
Perceptronics, Inc.
21111 Erwin Street
Woodland Hills, CA 91367-3713

Dr. William Clancey
Stanford University
Knowledge Systems Laboratory
701 Welch Road, Bldg. C
Palo Alto, CA 94304

Dr. Charles Clifton
Tobin Hall
Department of Psychology
University of
Massachusetts
Amherst, MA 01003

Dr. Allan M. Collins
Bolt Beranek & Newman, Inc
50 Moulton Street
Cambridge, MA 02138

Dr. Stanley Collyer
Office of Naval Technology
Code 222
800 N. Quincy Street
Arlington, VA 22217-5000

Dr. William Crano
Department of Psychology
Texas A&M University
College Station, TX 77843

Brian Dallman
3400 TTW/TTGXS
Lowry AFB, CO 80230-5000

Dr. Laura Davis
NRL/NCARAI, Code 7510
4555 Overlook Ave., SW
Washington, DC 20375-5000

Dr. Natalie Dehn
Department of Computer and
Information Science
University of Oregon
Eugene, OR 97403

Dr. Gerald F. DeJong
Artificial Inteiligence Group
Coordinated Science Laboratory
University of Illinois
Urbana, IL 61801

Goery Delacote
Directeur de L'Informatique
Scientifique et Technique
CNRS
15, Quai Anatole France
75700 Paris FRANCE

Dr. Sharon Derry
Florida State University
Department of Psychology
Tallahassee, FL 32306

Dr. Andrea diSessa
University of California
School of Education
Tolman Hall
Berkeley, CA 94720

Distribution List [Illinois/Gentner] NR 667-551

Dr R. K. Dismukes
Associate Director for Life Sciences
AFOSR
Bolling AFB
Washington, DC 20332

Dr. Stephanie Doan
Code 6021
Naval Air Development Center
Warminster, PA 18974-5000

Dr Emanuel Donchin
University of Illinois
Department of Psychology
Champaign, IL 61820

Defense Technical
Information Center
Cameron Station, Bldg 5
Alexandria, VA 22314
Attn: TC
(12 Copies)

Dr Thomas M. Duffy
Communications Design Center
Carnegie-Mellon University
Schenley Park
Pittsburgh, PA 15213

Dr Richard Duran
University of California
Santa Barbara, CA 93106

Dr John Ellis
Navy Personnel R&D Center
San Diego, CA 92252

Dr Susan Embretson
University of Kansas
Psychology Department
426 Fraser
Lawrence, KS 66045

Dr Randy Engle
Department of Psychology
University of South Carolina
Columbia, SC 29208

Dr Susan Epstein
Hunter College
144 S Mountain Avenue
Montclair, NJ 07042

ERIC Facility-Acquisitions
4833 Rugby Avenue
Bethesda, MD 20014

Dr K Anders Ericsson
University of Colorado
Department of Psychology
Boulder, CO 80309

Dr. Jean Claude Falmagne
Department of Psychology
New York University
New York, NY 10003

Dr Beatrice J Farr
Army Research Institute
5001 Eisennower Avenue
Alexandria, VA 22333

Dr Pat Federico
Code 511
NPRDC
San Diego, CA 92152-6800

Dr Paul Feltovich
Southern Illinois University
School of Medicine
Medical Education Department
P O Box 3926
Springfield IL 62708

Mr Wallace Feurzeig
Educational Technology
Bolt Beranek & Newman
10 Moulton St
Cambridge, MA 02238

Dr Gerhard Fischer
University of Colorado
Department of Computer Science
Boulder, CO 80309

J D Fletcher
9931 Corsica Street
Vienna VA 22180

Dr Linda Flower
Carnegie-Mellon University
Department of English
Pittsburgh, PA 15213

Dr Kenneth D Forbus
University of Illinois
Department of Computer Science
1304 West Springfield Avenue
Urbana, IL 61801

Dr Barbara A. Fox
University of Colorado
Department of Linguistics
Boulder, CO 80309

Dr John R Frederiksen
Bolt Beranek & Newman
50 Moulton Street
Cambridge, MA 02138

Dr Norman Frederiksen
Educational Testing Service
Princeton NJ 08541

Dr Michael Friendly
Psychology Department
York University
Toronto Ontario
CANADA M3J 1P3

Julie A Gadsden
Information Technology
Applications Division
Admiralty Research Establishment
Portsdown, Portsmouth PO6 4AA
UNITED KINGDOM

Dr Michael Genesereth
Stanford University
Computer Science Department
Stanford, CA 94305

Dr Dedre Gentner
University of Illinois
Department of Psychology
603 E. Daniel St
Champaign IL 61820

Chair, Department of
Psychology
George Mason University
Fairfax, VA 22030

Chair, Department of
Psychology
Georgetown University
Washington, DC 20057

Distribution List [Illinois/Gentner] NR 667-551

Dr. Robert Glaser
Learning Research
& Development Center
University of Pittsburgh
3939 O'Hara Street
Pittsburgh, PA 15260

Dr Arthur M. Glenberg
University of Wisconsin
W. J. Brogden Psychology Bldg
1202 W. Johnson Street
Madison, WI 53706

Dr Sam Glucksberg
Department of Psychology
Princeton University
Princeton, NJ 08540

Dr Susan Goldman
University of California
Santa Barbara, CA 93106

Dr Sherrie Gott
AFHRL/MODJ
Brooks AFB, TX 78235

Dr T. Govindaraj
Georgia Institute of Technology
School of Industrial & Systems
Engineering
Atlanta, GA 30332

Dr Wayne Gray
Army Research Institute
5001 Eisenhower Avenue
Alexandria, VA 22333

Dr James G. Greeno
University of California
Berkeley, CA 94720

Dr Dik Gregory
Behavioral Sciences Division
Admiralty Research Establishment
Teddington, Middlesex
ENGLAND

Dr Gerhard Grossing
Atominstitut
Schutteistrasse 115
Vienna, AUSTRIA a-1020

Prof. Edward Haertel
School of Education
Stanford University
Stanford, CA 94305

Dr Henry M. Halff
Halff Resources, Inc
4918 33rd Road, North
Arlington, VA 22207

Dr Ronald K. Hambleton
Prof of Education & Psychology
University of Massachusetts
at Amherst
Hills House
Amherst, MA 01003

Stevan Harnad
Editor The Behavioral and
Brain Sciences
20 Nassau Street, Suite 240
Princeton, NJ 08540

Dr Wayne Harvey
SRI International
333 Ravenswood Ave.
Room B-S324
Menlo Park, CA 94025

Dr Reid Hastie
Northwestern University
Department of Psychology
Evanston, IL 60201

Prof John R. Hayes
Carnegie-Mellon University
Department of Psychology
Schenley Park
Pittsburgh, PA 15213

Dr Barbara Hayes-Roth
Department of Computer Science
Stanford University
Stanford, CA 95305

Dr Frederick Hayes-Roth
Teknowledge
525 University Ave
Palo Alto, CA 94301

Dr Shirley Brice Heath
School of Education
Stanford University
Stanford, CA 94305

Dr Joan I. Heller
505 Haddon Road
Oakland, CA 94606

Dr Jim Hollan
Intelligent Systems Group
Institute for
Cognitive Science (C-015)
UCSD
La Jolla, CA 92093

Dr Melissa Holland
Army Research Institute for the
Behavioral and Social Sciences
5001 Eisenhower Avenue
Alexandria, VA 22333

Dr Keith Holyoak
University of Michigan
Human Performance Center
330 Packard Road
Ann Arbor, MI 48109

Ms Julia S. Hough
Lawrence Erlbaum Associates
6012 Greene Street
Philadelphia, PA 19144

Dr James Howard
Dept of Psychology
Human Performance Laboratory
Catholic University of
America
Washington DC 20064

Dr Earl Hunt
Department of Psychology
University of Washington
Seattle, WA 98105

Dr Ed Hutchins
Intelligent Systems Group
Institute for
Cognitive Science (C-015)
UCSD
La Jolla, CA 92093

Dr Barbara Hutson
Virginia Tech
Graduate Center
2990 Telestar Ct
Falls Church, VA 22042

Distribution List [Illinois/Gentner] NR 667-551

Dr. Barbel Inhelder
University of Geneva
Geneva SWITZERLAND 12U-4

Dr. Dillon Inouye
WICAT Education Institute
Provo, UT 84057

Dr. Alice Isen
Department of Psychology
University of Maryland
Catonsville, MD 21228

Dr. Robert Jannarone
Department of Psychology
University of South Carolina
Columbia, SC 29208

Dr. Claude Janvier
Directeur, CIRADE
Universite' du Quebec a Montreal
Montreal, Quebec H3C 3P8
CANADA

Dr. Robin Jeffries
Hewlett-Packard Laboratories
P O Box 10490
Palo Alto, CA 94303-0971

Dr Robert Jernigan
Decision Resource Systems
5595 Vantage Point Road
Columbia, MD 21044

Margaret Jerome
c/o Dr Peter Chandler
83, The Drive
Hove
Sussex
UNITED KINGDOM

Chair, Department of
Psychology
The Johns Hopkins University
Baltimore, MD 21218

Dr Douglas A. Jones
Thatcher Jones Assoc.
P O Box 6640
10 Trafalgar Court
Lawrenceville
NJ 08648

Dr. Marcel Just
Carnegie-Mellon University
Department of Psychology
Schenley Park
Pittsburgh, PA 15213

Dr. Daniel Kahneman
The University of British Columbia
Department of Psychology
#154-2053 Main Mall
Vancouver, British Columbia
CANADA V6T 1Y7

Dr. Ruth Kanfer
University of Minnesota
Department of Psychology
Elliott Hall
75 E. River Road
Minneapolis, MN 55455

Dr. Mary Grace Kantowski
University of Florida
Mathematics Education
359 Norman Hall
Gainesville, FL 32611

Dr. Milton S. Katz
Army Research Institute
5001 Eisenhower Avenue
Alexandria, VA 22333

Dr. Frank Keil
Department of Psychology
Cornell University
Ithaca, NY 14850

Dr. Wendy Kellogg
IBM T J Watson Research Ctr.
P O Box 218
Yorktown Heights, NY 10598

Dr Dennis Kibler
University of California
Department of Information
and Computer Science
Irvine, CA 92717

Dr. David Kieras
University of Michigan
Technical Communication
College of Engineering
1223 E. Engineering Building
Ann Arbor, MI 48109

Dr. Peter Kincaid
Training Analysis
& Evaluation Group
Department of the Navy
Orlando, FL 32813

Dr. Walter Kintsch
Department of Psychology
University of Colorado
Campus Box 345
Boulder, CO 80302

Dr. David Klahr
Carnegie-Mellon University
Department of Psychology
Schenley Park
Pittsburgh, PA 15213

Dr Mazie Knerr
Program Manager
Training Research Division
HumRRO
1100 S. Washington
Alexandria, VA 22314

Dr. Janet L. Kolodner
Georgia Institute of Technology
School of Information
& Computer Science
Atlanta, GA 30332

Dr Stephen Kosslyn
Harvard University
1236 William James Hall
33 Kirkland St.
Cambridge, MA 02138

Dr Kenneth Kotovsky
Department of Psychology
Community College of
Allegheny County
800 Allegheny Avenue
Pittsburgh, PA 15233

Dr David H. Krantz
2 Washington Square Village
Apt. #15J
New York, NY 10012

Dr Benjamin Kuipers
University of Texas at Austin
Department of Computer Sciences
T.S. Painter Hall 3 28
Austin, Texas 78712

Distribution List [Illinois/Gentner] NR 667-551

Dr. David R. Lambert
Naval Ocean Systems Center
Code 441T
271 Catalina Boulevard
San Diego, CA 92152-6800

Dr. Pat Langley
University of California
Department of Information
and Computer Science
Irvine, CA 92717

Dr. Marcy Lansman
University of North Carolina
The L. L. Thurstone Lab.
Davie Hall 013A
Chapel Hill, NC 27514

Dr Jill Larkin
Carnegie-Mellon University
Department of Psychology
Pittsburgh, PA 15213

Dr. Jean Lave
School of Social Sciences
University of California
Irvine, CA 92717

Dr Robert Lawler
Information Sciences, FRL
GTE Laboratories, Inc.
40 Sylvan Road
Waltham, MA 02254

Dr. Alan M. Lesgold
Learning R&D Center
University of Pittsburgh
Pittsburgh, PA 15260

Dr. Jim Levin
Dept. of Educational Psy
210 Education Building
1310 South Sixth St.
Champaign, IL 61810-6990

Dr John Levine
Learning R&D Center
University of Pittsburgh
Pittsburgh, PA 15260

Dr. Michael Levine
Educational Psychology
210 Education Bldg.
University of Illinois
Champaign, IL 61820

Dr. Clayton Lewis
University of Colorado
Department of Computer Science
Campus Box 430
Boulder, CO 80309

Matt Lewis
Department of Psychology
Carnegie-Mellon University
Pittsburgh, PA 15213

Library
Naval Training Systems Center
Orlando, FL 32813

Dr. Jane Malin
Mail Code SR 111
NASA Johnson Space Center
Houston, TX 77058

Dr William L. Maloy
Chief of Naval Education
and Training
Naval Air Station
Pensacola, FL 32508

Dr. Sandra P Marshall
Dept. of Psychology
San Diego State University
San Diego, CA 92182

Dr. Manton M. Matthews
Department of Computer Science
University of South Carolina
Columbia, SC 29208

Dr Richard E. Mayer
Department of Psychology
University of California
Santa Barbara, CA 93106

Dr Joe McLachlan
Navy Personnel R&D Center
San Diego, CA 92152-6800

Dr. James McMichael
Assistant for MPT Research,
Development, and Studies
OP 01B7
Washington, DC 20370

Dr. Barbara Means
Human Resources
Research Organization
1100 South Washington
Alexandria, VA 22314

Dr. Douglas L. Medin
Department of Psychology
University of Illinois
603 E. Daniel Street
Champaign, IL 61820

Dr. George A. Miller
Department of Psychology
Green Hall
Princeton University
Princeton, NJ 08540

Dr. William Montague
NPRDC Code 13
San Diego, CA 92152-6800

Dr Allen Munro
Behavioral Technology
Laboratories - USC
1845 S Elena Ave., 4th Floor
Redondo Beach, CA 90277

Chair, Department of
Computer Science
U.S. Naval Academy
Annapolis, MD 21402

Dr. Allen Newell
Department of Psychology
Carnegie-Mellon University
Schenley Park
Pittsburgh, PA 15213

Dr Richard E Nisbett
University of Michigan
Institute for Social Research
Room 5261
Ann Arbor MI 48109

Distribution List [Illinois/Gentner] NR 667-551

Dr. Mary Jo Nissen
University of Minnesota
N218 Elliott Hall
Minneapolis, MN 55455

Director, Training Laboratory,
NPRDC (Code 05)
San Diego, CA 92152-6800

Director, Manpower and Personnel
Laboratory,
NPRDC (Code 06)
San Diego, CA 92152-6800

Director, Human Factors
& Organizational Systems Lab.
NPRDC (Code 07)
San Diego, CA 92152-6800

Fleet Support Office,
NPRDC (Code 301)
San Diego, CA 92152-6800

Library, NPRDC
Code P201L
San Diego, CA 92152-6800

Dr Harold F O'Neil, Jr.
School of Education - WPH 801
Department of Educational
Psychology & Technology
University of Southern California
Los Angeles, CA 90089-0031

Dr Michael Oberlin
Naval Training Systems Center
Code 711
Orlando, FL 32813-7100

Dr Stellan Ohlsson
Learning R & D Center
University of Pittsburgh
3939 O'Hara Street
Pittsburgh, PA 15213

Office of Naval Research,
Code 1133
800 N. Quincy Street
Arlington, VA 22217-5000

Office of Naval Research,
Code 1142
800 N Quincy St
Arlington, VA 22217-5000

Psychologist
Office of Naval Research
Branch Office, London
Box 39
FPO New York, NY 09510

Special Assistant for Marine
Corps Matters,
ONR Code 00MC
800 N Quincy St.
Arlington, VA 22217-5000

Psychologist
Office of Naval Research
Liaison Office, Far East
APO San Francisco, CA 96503

Dr Judith Orasanu
Army Research Institute
5001 Eisenhower Avenue
Alexandria, VA 22333

Prof. Seymour Papert
20C-109
Massachusetts Institute
of Technology
Cambridge, MA 02139

Dr James Paulson
Department of Psychology
Portland State University
P O Box 751
Portland, OR 97207

Dr Roy Pea
Bank Street College of
Education
610 W 112th Street
New York, NY 10025

Dr Douglas Pearse
DCIEM
Box 2000
Downsview, Ontario
CANADA

Dr James W Pellegrino
University of California,
Santa Barbara
Department of Psychology
Santa Barbara, CA 93106

Dr Virginia E. Pendergrass
Code 711
Naval Training Systems Center
Orlando, FL 32813-7100

Military Assistant for Training and
Personnel Technology,
OUSD (R & E)
Room 3D129, The Pentagon
Washington, DC 20301-3080

Dr David N Perkins
Educational Technology Center
337 Gutman Library
Appian Way
Cambridge, MA 02138

Dr Nancy Perry
Chief of Naval Education
and Training, Code 00A2A
Naval Station Pensacola
Pensacola, FL 32508

Department of Computer Science,
Naval Postgraduate School
Monterey, CA 93940

Dr Steven Pinker
Department of Psychology
E10-018
M I T
Cambridge, MA 02139

Dr Tjeerd Plomp
Twente University of Technology
Department of Education
P O Box 217
7500 AE ENSCHEDE
THE NETHERLANDS

Dr Martha Polson
Department of Psychology
Campus Box 346
University of Colorado
Boulder, CO 80309

Distribution List [Illinois/Gentner] NR 667-551

Dr. Peter Polson
University of Colorado
Department of Psychology
Boulder, CO 80309

Dr. Steven E. Poltrock
MCC
9430 Research Blvd.
Echelon Bldg #1
Austin, TX 78759-6509

Dr. Harry E. Pople
University of Pittsburgh
Decision Systems Laboratory
1360 Scaife Hall
Pittsburgh, PA 15261

Dr. Mary C. Potter
Department of Psychology
MIT (E-10-032)
Cambridge, MA 02139

Dr. Joseph Psotka
ATTN: PERI-IC
Army Research Institute
5001 Eisenhower Ave.
Alexandria, VA 22333

Dr. Lynne Reder
Department of Psychology
Carnegie-Mellon University
Schenley Park
Pittsburgh, PA 15213

Dr. James A. Reggia
University of Maryland
School of Medicine
Department of Neurology
22 South Greene Street
Baltimore, MD 21201

Dr. Fred Reif
Physics Department
University of California
Berkeley, CA 94720

Dr. Lauren Resnick
Learning R & D Center
University of Pittsburgh
3939 O'Hara Street
Pittsburgh, PA 15213

Dr. Gil Ricard
Mail Stop C04-14
Grumman Aerospace Corp.
Bethpage, NY 11714

Mark Richer
1041 Lake Street
San Francisco, CA 94118

Dr. Mary S. Riley
Program in Cognitive Science
Center for Human Information Processing
University of California
La Jolla, CA 92093

Dr. Linda G. Roberts
Science, Education, and Transportation Program
Office of Technology Assessment
Congress of the United States
Washington, DC 20510

Dr. William B. Rouse
Search Technology, Inc.
25-b Technology Park/Atlanta
Norcross, GA 30092

Dr. David Rumelhart
Center for Human Information Processing
Univ. of California
La Jolla, CA 92093

Dr. Roger Schank
Yale University
Computer Science Department
P.O. Box 2158
New Haven, CT 06520

Dr. Walter Schneider
Learning R&D Center
University of Pittsburgh
3939 O'Hara Street
Pittsburgh, PA 15260

Dr. Alan H. Schoenfeld
University of California
Department of Education
Berkeley, CA 94720

Dr. Janet Schofield
Learning R&D Center
University of Pittsburgh
Pittsburgh, PA 15260

Karen A. Schriver
Department of English
Carnegie-Mellon University
Pittsburgh, PA 15213

Dr. Judah L. Schwartz
MIT
20C-120
Cambridge, MA 02139

Dr. Marc Sebrechts
Department of Psychology
Wesleyan University
Middletown, CT 06475

Dr. Judith Segal
OERI
555 New Jersey Ave., NW
Washington, DC 20208

Dr. Sylvia A. S. Shafto
Department of Computer Science
Towson State University
Towson, MD 21204

Dr. Ben Shneiderman
Dept. of Computer Science
University of Maryland
College Park, MD 20742

Dr. Lee Shulman
Stanford University
1040 Cathcart Way
Stanford, CA 94305

Dr. Robert S. Siegler
Carnegie-Mellon University
Department of Psychology
Schenley Park
Pittsburgh, PA 15213

Dr. Derek Sleeman
Stanford University
School of Education
Stanford, CA 94305

Distribution List [Illinois/Gentner] NR 667-551

Dr Edward E. Smith
Bolt Beranek & Newman, Inc.
50 Moulton Street
Cambridge, MA 02138

Dr. Richard E. Snow
Department of Psychology
Stanford University
Stanford, CA 94306

Dr Elliot Soloway
Yale University
Computer Science Department
P O Box 2158
New Haven, CT 06520

Dr Richard Sorensen
Navy Personnel R&D Center
San Diego, CA 92152-6800

Dr Kathryn T Spoehr
Brown University
Department of Psychology
Providence, RI 02912

Dr Robert Sternberg
Department of Psychology
Yale University
Box 11A, Yale Station
New Haven, CT 06520

Dr Albert Stevens
Bolt Beranek & Newman, Inc
10 Moulton St
Cambridge, MA 02238

Dr Thomas Sticht
Navy Personnel R&D Center
San Diego, CA 92152-6800

Dr John Tangney
AFOSR/NL
Bolling AFB, DC 20332

Dr Kikumi Tatsuoka
CERL
252 Engineering Research
Laboratory
Urbana, IL 61801

Dr. Perry W. Thorndyke
FMC Corporation
Central Engineering Labs
1185 Coleman Avenue, Box 580
Santa Clara, CA 95052

Dr. Douglas Towne
Behavioral Technology Labs
1845 S. Elena Ave.
Redondo Beach, CA 90277

Chair, Department of
Computer Science
Towson State University
Towson, MD 21204

Chair, Department of
Psychology
Towson State University
Towson, MD 21204

Dr Kurt Van Lehn
Department of Psychology
Carnegie-Mellon University
Schenley Park
Pittsburgh, PA 15213

Dr Beth Warren
Bolt Beranek & Newman Inc
50 Moulton Street
Cambridge, MA 02138

Dr Donald Weitzman
MITRE
1820 Dolley Madison Blvd
MacLean, VA 22102

Dr Keith T Wescourt
FMC Corporation
Central Engineering Labs
1185 Coleman Ave Box 580
Santa Clara, CA 95052

Dr Douglas Wetzel
Code 12
Navy Personnel R&D Center
San Diego, CA 92152-6800

Dr Barbara White
Bolt Beranek & Newman, Inc
10 Moulton Street
Cambridge, MA 02238

Dr. Christopher Wickens
Department of Psychology
University of Illinois
Champaign, IL 61820

Dr. Heather Wild
Naval Air Development Center
Code 6021
Warminster, PA 18974-5000

Dr. Michael Williams
IntelliCorp
1975 El Camino Real West
Mountain View, CA 94040-2216

Dr Robert A. Wisher
U S Army Institute for the
Behavioral and Social Sciences
5001 Eisenhower Avenue
Alexandria, VA 22333

Mr John H. Wolfe
Navy Personnel R&D Center
San Diego, CA 92152-6800

Dr Wallace Wulfeck, III
Navy Personnel R&D Center
San Diego, CA 92152-6800

Dr Joe Yasatuke
AFHRL/LRT
Lowry AFB, CO 80230

Dr Masoud Yazdani
Dept of Computer Science
University of Exeter
Exeter EX4 4QL
Devon, ENGLAND

Mr Carl York
System Development Foundation
181 Lytton Avenue
Suite 210
Palo Alto, CA 94301

Dr Joseph L Young
Memory & Cognitive
Processes
National Science Foundation
Washington, DC 20550

AD-A179830

SECURITY CLASSIFICATION OF THIS PAGE

REPORT DOCUMENTATION PAGE

Form Approved
OMB No. 0704-0188

1a REPORT SECURITY CLASSIFICATION Unclassified	1b RESTRICTIVE MARKINGS
2a SECURITY CLASSIFICATION AUTHORITY	3 DISTRIBUTION AVAILABILITY OF REPORT Approved for public release; Distribution unlimited
2b DECLASSIFICATION / DOWNGRADING SCHEDULE	
4 PERFORMING ORGANIZATION REPORT NUMBER(S) UIUCDCS-R-87-1329	5 MONITORING ORGANIZATION REPORT NUMBER(S)
6a NAME OF PERFORMING ORGANIZATION Department of Computer Science University of Illinois 6b OFFICE SYMBOL (If applicable)	7a NAME OF MONITORING ORGANIZATION Cognitive Science (Code 1142CS) Office of Naval Research,800 N.Quincy St.
6c. ADDRESS (City, State, and ZIP Code) Urbana, IL 61801	7b ADDRESS (City, State, and ZIP Code) Arlington, VA 22217-5000
8a NAME OF FUNDING/SPONSORING ORGANIZATION 8b OFFICE SYMBOL (If applicable)	9 PROCUREMENT INSTRUMENT IDENTIFICATION NUMBER N00014-85-K-0559
8c. ADDRESS (City, State, and ZIP Code)	10 SOURCE OF FUNDING NUMBERS PROGRAM ELEMENT NO: 61153N; PROJECT NO: RR04206; TASK NO: RR04206-0A; WORK UNIT ACCESSION NO: NR667-551

11 TITLE (Include Security Classification)

"Towards a General-Purpose Belief Maintenance System"

12 PERSONAL AUTHOR(S)
Brian Falkenhainer

13a TYPE OF REPORT	13b TIME COVERED	14 DATE OF REPORT (Year Month Day)	15 PAGE COUNT
Technical Report	FROM 85-9-1 TO 88-3-31	87-4-1	25

16 SUPPLEMENTARY NOTATION

17 COSATI CODES			18 SUBJECT TERMS (Continue on reverse if necessary and identify by block number)
FIELD	GROUP	SUB-GROUP	
05	08		Belief Maintenance System Probabilistic Reasoning

19 ABSTRACT (Continue on reverse if necessary and identify by block number)

This paper addresses the problem of probabilistic reasoning as it applies to Truth Maintenance Systems. A Belief Maintenance System has been constructed which manages a current set of probabilistic beliefs in much the same way that a TMS manages a set of true/false beliefs. Such a system may be thought of as a generalization of a Truth Maintenance System. It enables one to reason using normal two or three-valued logic or using probabilistic values to represent partial belief. The design of the Belief Maintenance System is described and some problems are discussed which require further research. Finally, some examples are presented which show the utility of such a system.

20 DISTRIBUTION/AVAILABILITY OF ABSTRACT	21 ABSTRACT SECURITY CLASSIFICATION
☒ UNCLASSIFIED/UNLIMITED ☐ SAME AS RPT ☐ DTIC USERS	Unclassified
22a NAME OF RESPONSIBLE INDIVIDUAL Dr. Susan Chipman	22b TELEPHONE (Include Area Code) 22c OFFICE SYMBOL

DD Form 1473, JUN 86 Previous editions are obsolete

END

5-87

DTIC